



ACHILLES TENDON REPAIR POSTOPERATIVE PROTOCOL

Alan H. Lee, M.D.

Board-certified Orthopaedic Surgeon Fellowship-trained in Sports Medicine and Arthroscopy

\mathbf{r}					
K	10	a	r	O	•
v		u	L	c	•

Week 0-2: Post-op cast/splint (keep dry)

Week 3-8: CAM walker boot at all times except PT/washing (week 3: discontinue CAM during sleep;

week 7: reduce heel lift from 1 to ½ in)

Weight Bearing:

Week 0-6: NWB (non-weight bearing) with crutches

Week 7-8: WBAT (weight bearing as tolerated) in CAM walker, discontinue crutches

After wk 8: full weight bearing, transition from CAM walker to lace-up ankle brace

ROM:

Week 0-2: No ROM (in post-op splint)

Week 3-6: gentle PROM (passive range of motion), limit dorsiflexion to 0 deg

Week 7-8: PROM/AROM, limit dorsiflexion to 10 deg

Week 8-12: progress ROM as tolerated (½" heel lift in shoe until week 10, then ½")

Week 12: discontinue heel lift

Exercise:

Week 0-8: NO resistance exercises, foot (towel) exercise, ankle exercises (see ROM restr.)

Week 8-12: start resistance training, stationary bike

Week 12-16: start elliptical, increase resistance

After wk 16: start jogging progression, agility training

If you have any questions, please contact our clinic.